

University of Groningen

Quaternary structure of the lactose transport protein of *Streptococcus thermophilus* in the detergent-solubilized and membrane-reconstituted state

Friesen, R.H.E.; Poolman, B.; Knol, J.

Published in:
The Journal of Biological Chemistry

DOI:
[10.1074/jbc.M004066200](https://doi.org/10.1074/jbc.M004066200)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2000

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Friesen, R. H. E., Poolman, B., & Knol, J. (2000). Quaternary structure of the lactose transport protein of *Streptococcus thermophilus* in the detergent-solubilized and membrane-reconstituted state. *The Journal of Biological Chemistry*, 275(43), 33527 - 33535. <https://doi.org/10.1074/jbc.M004066200>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Additions and Corrections

Vol. 275 (2000) 33527–33535

Quaternary structure of the lactose transport protein of *Streptococcus thermophilus* in the detergent-solubilized and membrane-reconstituted state.

Robert H. E. Friesen, Jan Knol, and Bert Poolman

There were a few typographical errors in equations 2 and 6 and the accompanying text. The correct equations and text are given below.

Page 33529:

$$M(1 - \phi' \rho) = M[(1 - \bar{v}_p \rho) + \delta_D(1 - \bar{v}_D \rho)] \quad (\text{Eq. 2})$$

where \bar{v}_p is the partial specific volume of LacS, which was calculated to be 0.7514 at 20 °C (18), and \bar{v}_D the partial specific volume of DDM bound to LacS. In equation 2, δ_D is the DDM bound by LacS (g/g), which was determined experimentally using equilibrium desorption chromatography; \bar{v}_D is the partial specific volume of DDM, which was determined experimentally by sedimentation equilibrium analysis at different solvent densities.

Page 33532:

$$M_{\text{eff,LacS-DDM}} =$$

$$M_{\text{LacS}}(1 + \Delta k_{\text{LacS}} - \bar{v}_{\text{LacS}} \rho) + M_{\text{DDM}}(1 + \Delta k_{\text{DDM}} - \bar{v}_{\text{DDM}} \rho) \quad (\text{Eq. 6})$$

We suggest that subscribers photocopy these corrections and insert the photocopies at the appropriate places where the article to be corrected originally appeared. Authors are urged to introduce these corrections into any reprints they distribute. Secondary (abstract) services are urged to carry notice of these corrections as prominently as they carried the original abstracts.